

Work Order ID 152353

Friday, October 21, 2016 3:04:45 PM

152353

Page 1

Item ID: D350-689-017 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Shoulder Harness 4 Point Inertia Reel
Start Date: 10/19/2016 Start Qty: 2.00 ***2*** Cust Item ID:
Required Date: 10/31/2016 Req'd Qty: 2.00 ***2*** Customer:
Reference: **DAS 21 9-89**

Approvals: Process Plan: _____ Date: **OCT 27 2016** Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr								
IIN-D350-689	C	OCT 27 2016	DAS 6 9-89				DAS 21 9-89	16-10-28	

100 Document Control 0.00
100 DOCUMENT CONTROL **2x DAS 28 9-89** **OCT 31 2016**
DC Memo 0.00
Doc.Control -USB or Paperwork Photocopy bluefile and create labels per PPP D350-689-017 CHG001

110 Pick Kit 0.00
110 **2x DAS 26 9-89** **OCT 27 2016**
Packaging Memo 0.00
Packaging

120 QC4- 100% Inspect kits for completeness 0.00
120 **2x DAS 28 9-89** **OCT 31 2016**
QC Memo 0.01
Quality Control

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Description Work Order Deviation				Disposition																																																													
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :			
Misidentified ☐	Past Due ☐																																																																

Work Order ID 152353

Friday, October 21, 2016 3:04:45 PM

152353

Page 2

Item ID: D350-689-017

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Shoulder Harness 4 Point Inertia Reel

Start Date: 10/19/2016 Start Qty: 2.00

2

Cust Item ID:

Required Date: 10/31/2016 Req'd Qty: 2.00

2

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

NR1

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Packaging	0.00							
130									
Packaging	Memo	0.00				2x	DAS 28 9-89	OCT 31 2016	
Packaging	Identify and pack for shipping as per PPP D350-689-017 Location: FG029								
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.03					DAS 21 9-89	OCT 31 2016	
Quality Control									
							DAS 21 9-89	OCT 31 2016	

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval 	
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause			FAULT CATEGORY							
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date ☐	☐	Manufacturing Process	OTHER :							
Misidentified ☐	☐	Past Due								

Friday, October 21, 2016 3:04:45 PM

152353

D350-689-017

Start Date: 10/19/2016**Required Date:** 10/31/2016

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP Rev:A new issue DD 10.04.23 verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
AN5-4A *AN5-4A* Bolt		Purchased	No			110	Each	29.0000	2	4			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST339		29							
					M133932	29							
D4071-041 *D4071-041* Shoulder Harness Assembly		Manufactured	No			110	Each	2.0000	2	4			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST464		2							
					145240	2							
MS21042L5 *MS21042L5* Nut		Purchased	No			110	Each	354.0000	2	4			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				GA		53							
					m127813	53							
				ST303		301							
					m135297	131							
					m135544	100							
					m135774	70							
NAS1149D0516J *NAS1149D0516J* Washer		Purchased	No			110	Each	145.0000	4	8			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST264		145							
					M134943	145							

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

REFERENCE ONLY**6.0 PARTS LIST (OPTIONAL KITS)**

Qty -015	Qty -017	Qty -031	Part Number	Description
X			D350-689-015	SEAT MODIFICATION KIT
	X		D350-689-017	SHOULDER HARNESS KIT
		X	D350-689-031	ARMREST KIT
		1	D2199-31	STRUT
2			D3029-1	SPRING
2			D3030-1	LOCK
1			D3033-1	SEAT TRACK
4			D3059-1	STUD
4			D3060-1	BUSHING
4			D3061-1	RADIUS BLOCK
	2		D4071-041	SHOULDER HARNESS ASSY
		1	D4671-1	ARMREST CUSHION
		1	D5159-041	SEAT BACK BRACE ASSY
		1	D5159-043	SEAT BACK BRACE ASSY
		1	D5159-045	SEAT RIB ASSY
		1	D5189-041	TUBE ASSY
		1	D5189-043	ARMREST ASSY
			AN3-12A	BOLT
		1	AN4-4A	BOLT
		1	AN4-6A	BOLT
		1	AN4-10A	BOLT
		2	AN4-14A	BOLT
		1	AN4-17A	BOLT
	2		AN5-4A	BOLT
		1	AN970-4	WASHER
		4	MS20600AD4W4	BLIND RIVET
		8	MS20600AD4W5	BLIND RIVET
		10	MS21042L3	NUT (OR MS21042-3)
		8	MS21042L4	NUT (OR MS21042-4)
4	2		MS21042L5	NUT (OR MS21042-5)
4			MS21059L3	NUTPLATE
1			MS24693-S273	SCREW
3			MS27039-1-10	SCREW
		1	MS27039-1-17	SCREW
		3	MS27039-1-18	SCREW
		4	MS27039-1-19	SCREW
		2	MS27039-1-20	SCREW
		4	MS27039-4-20	SCREW
		2	MS27039-4-22	SCREW
		4	MS27039-4-21	SCREW
		20	NAS1149D0332J	WASHER (OR AN960JD10L)
		17	NAS1149D0432J	WASHER (OR AN960JD416)
	4		NAS1149D0516J	WASHER (OR AN960JD516L)
4			NAS1149D0563J	WASHER (OR AN960JD516)
		2	NAS43DD4-16FC	SPACER